

L7525 Series Light Boxes






Ultimate Flexibility and Reliability



L7525 Series Lamp Boxes provides maximum design flexibility and virtually maintenance-free operation. The modular design of the L7525 Series Lamp Boxes allows units to be constructed from a single window to almost any size with an installed depth of only 68mm to suit any application. Each window (75x 25 mm) can be divided by 2 (vertically or horizontally) or 4 cells with a choice of three window colors. Each window can be equipped with either incandescent bulbs or LEDs. The aluminum construction prepares the best available heat dissipation, as well as a luxury appearance.



Configuration:



Display Size Calculation
Length(mm)= $C \times 75 + 37 \pm 0.5$
Height(mm)= $R \times 50 + 37 \pm 0.5$
Cutout Size Calculation
Length(mm)= $C \times 75 + 33 \pm 0.5$
Height(mm)= $R \times 50 + 33 \pm 0.5$

C: Number of Columns
R: Number of Rows

System Specification

- Modular Multi-point Design
- Any number of windows
- Mounting: Flush Mount
- Construction Material: aluminum
- Alarm Text: Engraving
- Installed Depth: Only 68mm
- For Display, Cell and Cutout Size, See Configuration Page
- Maintenance Free

- Maintenance Free
- High Reliability
- Low Cost for all system sizes
- Input Voltage: 24VDC or AC
- Illumination: Long life Bulbs or LEDs
- Bulb Lifetime: 14,000 Hours
- Power Consumption:

	LED	Bulb	Power Consumption Per Input Point
H11	40mA	100mA	
H21,H12,V21	20mA	100mA	
H44	10mA	50mA	

Options and Order Number

L7525 - 03 - 04 - H11 - L

