

# L7525 Series Light Boxes





## Ultimate Flexibility and Reliability



L7525 Series Light Boxes provide maximum design flexibility and maintenance-free operation. The modular design of the L7525 Series Light Boxes allows units to be constructed from a single window to almost any size with an installed depth of only 68mm to suit any application. Each window (75x 50 mm) can be divided by 2 (vertically or horizontally) or 4 cells with a choice of three window colors. Each window equipped with 120° high bright LEDs. The aluminum construction prepares the best available heat dissipation, as well as a luxury appearance.




**Configuration:**



<b>Display Size Calculation</b>
Length(mm)=Cx75+37± 0.5
Height(mm)= Rx50+37± 0.5
<b>Cutout Size Calculation</b>
Length(mm)= Cx75+33± 0.5
Height(mm)= Rx50+33± 0.5

C: Number of Columns  
R: Number of Rows



**Integral Pushbutton & Buzzer Module**

As an option, an integral "Pushbutton and Buzzer Module" can be fitted in the bottom right



**System Specification**

- Modular Multi-point Design
- Any number of windows
- Mounting: Flush Mount
- Construction Material: aluminum
- Alarm Text: Engraving
- Installed Depth: Only 68mm
- For Display, Cell and Cutout Size, See Configuration Page
- Maintenance Free

- Maintenance Free
- High Reliability
- Low Cost for all system sizes
- Input Voltage: 24VDC or AC
- Illumination: Wide high bright LEDs
- Power Consumption:

	LED	Bulb	Power Consumption Per Input Point
H11	40mA	100mA	
H21,H12,V21	20mA	100mA	
H44	10mA	50mA	

**Options and Order Number**

